





山东港中钢铁有限公司(铝公司) SHANDONG SINO STEEL (ALUMINUM) CO., LTD

Add : Shandong Sino Steel Industry Park, Chengyang District, Qingdao City, Shandong Province, China Tel : +86-532-87965066 +86-532-58780686

Fax: +86-532-87961221

E-mail : alu@sino-steel.net Website : www.sino-alu.com



山东港中钢铁有限公司(铝公司) SHANDONG SINO STEEL (ALUMINUM) CO., LTD



COMPANY INTRODUCTION

企业简介▶

山东港中钢铁有限公司铝产品分公司,隶属于山东港中钢铁集团,专门从事铝制品的 销售和生产。公司在平等互利、双赢合作的基础上与国内外厂商广泛交流、友好合作,极 大地支持了中国铝业的快速发展。公司的业务范围涉及铝产品批发、零售、加工及改制。 目前凭借优质的产品和服务,已将产品远销亚洲、北美、南美、非洲及中东地区,并 与智利、哥伦比亚、菲律宾、澳大利亚、波兰、沙特、阿联酋等很多国家的客户建立了长 期合作关系,同时拥有丰富的海外市场项目承接、产品供给及服务经验。 山东港中钢铁有限公司铝产品分公司将以促进可持续健康快速和谐发展为目标,-

既往,诚信守德,求真务实,维护并做强做大我们的品牌,继续为国内外客户提供优质的 商品、一流的服务,并衷心希望与海内外客户建立起面向未来的长期双赢合作。

Shandong Sino Steel (Aluminum) Co., Ltd., affiliated with Shandong Sino Steel Group, specializes in the production and sale of aluminum products. On the basis of equality, mutual benefits, and win-win cooperation, the company has established extensive exchanges and friendly cooperation with domestic and foreign enterprises, giving its great support to the rapid development of China Aluminum industry. The company covers the business scope of aluminum products wholesale, retail, processing and

covers the business scope of aluminum products winusease, retain, processing unit restructuring. At present, with the high quality products and services, the company has exported products to Asia, North America, South America, Africa and the Middle East; and established long-term business with customers from Chile, Colombia, Philippines, Australia, Poland, Saudi Arabla, the United Arab Emirates and many other countries, having rich experience in oversea project undertaking, product supply and customer

rearries in Seesa's project under lang, product supply and costonies service.

Shandong Sino Steel (Aluminum) Co., Ltd. will maintain and strengthen its brand, with the goal of promoting sustainable and harmonious development; and also continue to provide high-quality goods and first-class service, so as to establish a long-term win-wi cooperation with domestic and foreign customers.

CERTIFICATES

















山东港中朝鉄有限公司(铝公司) Shandong Sino Steel (Aluminum) Co., Ltd

PRODUCT INTRODUCTION





铝材▶

铅板/钽卷是指用铝锭轧制加工而成的铝材,分为纯铝,合金铝,薄铝,中厚铝,花纹铝。 主要应用于建筑装饰、标牌、家用电器:冰箱、电梯、机械零件加工、化工/保温管道、太阳能反射片、航空航天以及军事方面等。

ALUMINUM SHEET/COIL

Aluminum sheet/Coli, Rolled from aluminum ingots, including: pure aluminum,aluminum alloy thin aluminum, thick aluminum and embossed aluminum sheet. Application: Construction and decoration, label, household appliances: refrigerators, elevators machining, chemical/heat pipes,olar reflecting film, aerospace and military.

铝带的纯铝或铝合金铸轧铝卷、热轧铝卷,经冷轧机轧制为不同厚度、宽度的薄板铝卷, 再根据用途,经纵剪机纵向分切为不同宽度的铝带。主要应用于铝塑复合管、电缆、光缆、变压器、加热器、百叶窗等。


ALUMINUM STRIP

Aluminum pure or aluminum alloy coil, hot-rolled coil by cold rolling mill for thin aluminum coils


with different thickness, width.

Depending on usage, longitudinal slitting machine for different widths of aluminum Strip. Mainly used in aluminum-plastic compound pipes, cables, fiber optic cable, transformers, heater, shutters,

铝材主要规格参数 Specifications of Aluminum









63

铝箔,用金属铝直接压延成薄片的烫印材料。分为厚箔,单零箔、双零箔,具有防潮、气密、遮光、粉盘蚀、无毒天珠等优点,广泛用于食品、药品、家庭日用品等作为包装材料;电解电容器材料;建筑、年籍、船舶、房屋等绝热材料;可作为装饰的金银线、壁纸以及各类文具印刷品和轻工产品的装潢商标等。

和比工产品到底测路协会。
ALUMINUM FOIL
Amuminum foil, using Aluminum laminate materials pressed into thin materials directly, including into medium gauge foil, heavy gauge foil, light gauge foil. With a moisture-proof, airtight, shading, wear and corrosion, onoposionous and lasteless advantage, are widely used as packaging materials such as food, medicines, household, Capacitor materials. Thermal insulation materials for buildings, vehicles, ships, houses; can be used as decorative metallic yarn, walipaper and a variety of stationery, printing and decoration of light industrial products trademark etc.

名称 Name	厚度 (Thickness)
厚箔 (heavy gauge foil)	0.1-0.2mm
单零箔(medium gauge foil)	0.01-0.1mm
双零箔(light gauge foil)	0.005-0.009mm

铝材力学性能 Machianical properties of Aluminum

Grade 牌号	Si 硅	Fe 铁	Cu 铜	Mn 锰	Zn 锌	Ti 钛	Single 单个	Total Bit	AI 铝
1050	0.25	0.4	0.05	0.05	0.07	0.05	0.03		99.5min
1060	0.25	0.35	0.05	0.03	0.05	0.03	0.03	***	99.6min
1100	Si+Fe	0.95	0.05	0.05	0.1	***	0.05	0.15	99.00min
3003	0.6	0.7	0.10	1.0-1.5	0.10		0.05	0.15	the rest
3004	0.30	0.7	0.25	1.0-1.5	0.25	-	0.05	0.15	the rest
3105	0.6	0.7	0.30	0.3-0.8	0.40	0.10	0.05	0.15	the rest
5005	0.30	0.7	0.20	0.20	0.25	***	0.05	0.15	the rest
5050	0.40	0.7	0.20	0.10	0.25		0.05	0.15	the rest
5052	0.25	0.40	0.10	0.10	0.10	***	0.05	0.15	the rest
5754	0.40	0.40	0.10	0.50	0.20	0.15	0.05	0.15	the rest
5083	0.40	0.40	0.10	0.4-1.0	0.25	0.15	0.05	0.15	the rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.25	0.15	0.05	0.15	the rest
6063	0.2-0.6	0.35	0.10	0.10	0.10	0.10	0.05	0.15	the rest
8011	0.5-0.9	0.6-1.0	0.10	0.20	0.10	0.08	0.05	0.15	the rest





EMBOSSED ALUMINUM COIL/SHEET

花纹铝板材▶

花纹锥板材是一种高成本的现代材料,有很多种类,在家具中用途十分广泛,如冰箱、空调、车厢、平台、包装管道、屏风骨架、各种思挂梁、桌台脚、装饰条、拉手、走线槽及盖、枸苗等等。

Application for Embossed aluminum Coil/Sheet: Mainly used in signs, billboards, building exterior decoration, bus body, high-rise buildings and factories wall decoration, kitchen sink, lamp, fan leaves, with pieces of electronic, chemical equipment, sheet metal processing parts, deep drawing or spinning hollow ware, welding parts, heat exchangers, bell surface and disk, plate, kitchenware, decorations, reflective devices, ect.

按照铝板材合金的不同分类

- 1、普遍铝合金花纹板:以1系铝板为板基加工而成,价格低廉,能够适应冷库,地板, 外包装等平常环境。
- 外包装等平常环境。
 2. 铝锰合金花纹板材:以3系为主要原料加工而成,又称为防锈铝板,强度稍高于普通 自合金花纹板,具有一定的防锈性能,由于硬度和耐腐蚀性不及5系花纹板材,所以该产品 主要应用在按车型,冷库地板等防锈要求不严格的环境。
 3. 铝镁合金花纹板材:以5系的铝板为原料加工而成,具有良好的耐腐蚀性,防锈性, 硬度,有一定的承重能力,通常应用在特殊环境,比如船舶、车厢灯、潮湿环境。

Divison	Description	Application	Feature	
1000 SERIES	1050, 1060, 1070, 1100 1235 representative series adurnium plate is also known as pure aluminum, in the series in 12XX series belongs to all the alumina quantity of a maximum number of series.Purity can achieve 99.00% above	Utensil, decoration, reflecting plate, printing plate, heatproof plate, cookware	Easy to process and weld, resistance to rust, high, conductibility of electricity and heat, low strength	
3000 SERIES	300X series aluminum represents 3003, 3004, 3005, 3422 primarily. And can be called in the 300X series aluminum production process more outstanding. The 300X series aluminum patie is by manganess as the main componet. Content at 10-15 between Is a rust proof function better series. Commention application in the air conditioning the refrigerator, such as car in damp environment.	Utensil(F/P,inside of rice cooker),aluminum can,material for interior and exterior of building,chemical equipment,cellular plone	20% higher strength than the 1100 series, easily welded and brazed, good antirust, ability Non-heat treatable	
5000 SERIES	Sixx series Represents 5052 5005 5083,5754. The 5000 series aluminum alloy aluminum belong to the more commonly used series, the main elements for commonly used series, the main elements for the series of the ser	Ship board heatproof apparatus, material for interior and exterior of building Parts of Electronic tools Automobile Components	Excellent corrosion resistance and weld ability together with easy to process and welded and superior hardness&heatproof Can b anodized for increased corrosion resistance	
6000 SERIES	Gioco series represents 6061 mainly contain magnesium and silicon of two elements, so focused on the 4000 series and the advantages of the 5000 series 6061 is a cold treatment aluminum forging products, apply to fight pa	IT equipment & facility, Mould material, motor material, automatic line, machine & plant etc	Easy to process, good corrosion resistance, high toughness and processed without distortion after heat-treatable, superior surface treatment	



彩铝系列



影涂铝卷:影钢板的完美替代品 采用1060、1100、3003、3004、5052等系列铝材质基板,经过特殊的前处理、温度控 机、特殊技术处理、私结性更佳。 广泛应用于铝塑板、铝单板、铝蜂窝板、铝天花板、层顶面、边角料、易拉罐、电子产品。 其性能十分稳定,不易被腐蚀,未混合特殊处理后可以达到30年质量保证,单位体积的重量 是金属材料重最轻的,影涂铝,是目前一种最流行的新型材。

Color coating aluminum sheet: Perfect Alternative for Color Steel sheet Color coating aluminum sheet is based on the material of Series 1060, 1100, 3003, 3004, 5052, etc., after temperature control and special technical treatment, getting better adhesion.

Now it is widely used in aluminum-plastic panel, plate, honeycomb panel, ceiling, roofing, scrap, cans and electronic products. Aluminum color plate could be used for 30 years with its stable performance, anti-corrosion and less weight, which has already become one of the most popular materials.

Color Coating涂层厚度: PVDF (氟碳) 25micron 以上;

POLYSETER (聚酯) 15~20 micron.

(9)



仮加水港中郷法有限公司(別公司) Shandang Sino Steel (Alaminum) Co., Lid

好心脏,才有好身体,好芯材,才有更好的产品。 Healthy body with strong heart,excellent products with better core materials

and the same	
耐久性 Durability	与大气形成氧化铝薄膜,筋止被进一步腐蚀。 Aluminum oxide film against further corrosion.
Durability	
重量	重量轻(密度为2700KG/m³)
Weight	Light weight (density : 2700KG/m³)
强度和刚度	铝合金中you镁、铝的含量,因此具有一定的强度
Strength and	和刚度。 Aluminum content in MN and MG with better
Stiffness	strength and stiffness
外观性	可分为非涂漆(嫌蚊、压花、预钝化氯化钼表面处理等)和涂漆类(PVDF、SMP、PE、PVC皮膜等)
Appearance	Painting(Embossed and surface treatment)and
	without painting(PVDF、SMP、PE、PVC coating)
防雷性能	厚度一般为0.7MM和0.9MM,可直接作为防雷闪接器 (国家规范《建筑防雷设计规范》GB50057),避免
Lighting	在屋面穿孔。 Thickness between 0.7mm and 0.9mm as lighting
protection capability	flash connector (National Standard (Building Lighting Protection Design Specification) GB50057),to avoid roof perforation.
th A Wat	熔点低(660摄氏度),发生火灾时,屋面易被烧穿,
安全消防 Safety and	使火势向外蔓延,而不向内横向蔓延,有助于消妨员 从顶部伸入消防水管灭火。
Firefighting	Low melting point (660 degrees), The material bu easily, so the fire spreed outward instead of inwar This helps firefighters keep the fire under control



ALUMINUM CORRUGATED SHEET

铝瓦楞板



組瓦楞板,又称为瓦楞铝板、压型铝板、钼瓦等,是采用铝板经过银压冷弯成各种波形的 压型板,它适用于工业与民用建筑、仓库、特种建筑、大跨度财ב构房屋的屋面、墙面以及 内外墙装饰等,具有质轻、高强、色泽丰富、施工方使快捷、抗震、防火、防雨、寿命长、 免维护等特点,现已被广泛推广应用。


Aluminum corrugated steel sheet, also known as corrugated aluminum sheets, aluminum tiles, etc., is the aluminum sheet with various wave forms through rolling and cold bending. It applies to industrial and civil construction, warehouses, special buildings, and building scarciations. It has the characteristics of light weight, high strength, rich color, convenient construction, earthquake resistance, fireproofing, rainproof, long life, maintenance-free, etc., which has been widely used.

厚度Thickness 0.13mm-0.8mm

长度Length 2.5m,3.0m,5.8m or according to customer's special request

Main tile types :


NEW TYPE	YX35-125-750	APPLICATION	NAME OF THE PARTY
有效思度(MM) EFFECT WIDTH	750	MIL MIN	4444
MFFRDE (MM) FEEDING WIDTH	1000	WALL PANEL	
RUSE TYPE	YX25-210-840	RIR APPLICATION	
程效思度(MM) EFFECT WIDTH	840	MIR. MIRES ROOF AND	
展开党度(MM) FEEDING WIDTH	1000	WALL PANEL	
TESS TYPE	VX15-225-900	RISE APPLICATION	
有效危度(MM) EFFECT WIDTH	900	MS. WAN ROOF AND	
展开物度(MM) FEEDING WIDTH	1000	WALL PANEL	
TOM TYPE	YX12-65-850	Rid APPLICATION	////
和双克度(MM) EFFECT WIDTH	850	MS. NES	
無开饱度(MM) FEEDING WIDTH	1000	WALL FANEL	**************************************



CUSTOMIZED COLOR COATED ALUMINUM SHEET

定制彩铝







HIGH PRECISION EQUIPMENT

生产线 ▶











